Improving Quality of Life for People Living with Dementia



Rachel Convery, Ken Mills, Sarah M McGhee, Bruce Elliot, Helen McAskill, Anne Mills

Hospice Isle of Man, Douglas, Isle of Man, IM4 4RP



Background

- Dementia presents a major challenge for health care systems with aging populations. Over 46 million people live with dementia worldwide. This is estimated to increase to 131.5 million by 2050.1
- Much of the care for the person with dementia (PWD), in the early stages, takes place at home, therefore, there is a growing need for an evidence-based approach to home support for PWD and their carers.²

Aim: This study will assess the impact of a new, personalised memory games application (App), on the quality of life (QoL) of PWD and their carer(s).


Study Design and Methods

STUDY DESIGN:

- Single site, randomised controlled study.
- ❖ 30 pairs: PWD and informal carer randomised to two groups with 2:1 intervention to control allocation ratio.

Intervention group (20 pairs): App with 12 generic memory games plus option to construct 12 games with personalised content.


Comparator group (10 pairs): App with 12 generic memory games only.



MAIN INCLUSION CRITERIA:

- Self-report of diagnosis of any type of dementia
- ❖ Age 65 or older (PWD)
- Mild to moderate dementia: Standardised Mini Mental State Examination³ (Score between 13-24)
- Does not suffer with possible severe depression: PHQ-24 (Depression severity score: 0-2)
- Has capacity to provide written, informed consent

STUDY FLOW DIAGRAM



OUTCOME MEASURES:

Primary outcome:

❖ Quality of life of PWD and their carers: DEMQOL⁵ /C-DEMQOL⁶ scores compared to comparator group.

COMPLETE

Secondary outcomes:

- Unanticipated effects of using the personalised App, compared to the non-personalised App.
- Feasibility and acceptability of study instruments (i.e. areas of quality of life, communication, and cognitive function): specific questions, interview findings and adherence.

Data Analysis

QUANTATATIVE DATA ANALYSYS

- Primary analyses: DEMQOL and C-DEMQOL.
- Secondary analysis: Content of, and adherence to, the intervention to explore the effect on the scores.

QUALITATIVE DATA ANALYSYS

- Thematic and narrative analysis of interview transcripts.
- Feasibility and acceptability assessed at week 13 and at the conclusion.

Anticipated Results

Engagement with the personalised content may lead to improvement in the QoL of the PWD and/or their carer by facilitating and improving communication.

References

References

I. Prince M, Wimo A, Guerchet M, Ali GC, Wu YT, Prina M. Alzheimer's Disease International. World Alzheimer Report 2015: The global impact of dementia: an analysis of prevalence, incidence, cost and trends. [Homepage]. United Kingdom: Alzheimer's Disease International; 2015 [updated 1 October 2015; 6th March 2017]. Available from: https://www.alz.co.uu//research/WorldAlzheimerReport2015.p.

2. Chester, H., Clarkson, P., Davies, L. et al. Cognitive aids for people with early stage dementia versus treatment as usual (Deministering Early Stage Cognitive Aids New Trial (DESCANT)): study protocol for a randomised controlled trial. Trials 19, 546 (2018). https://trials/journal.piomedcentral.com/articles/10.1186/s13063-018-3933-885ec2

3. Molloy DW and Standish TIM. A guide to the Standardised Mini-Mental State Examination. International Psychogeriatrics, 9 ysuppl. 1, 1997, pp. 87-94.

4. Korenke K, Spitzer RL, Williams JB. The Patient Health Questionnaire: 2: Validity of a Two-Item Depression Screener. Med Care. 2003, Nov. 41(11):1284-92.

5. Smith, S.C., Lamping, D.L, Baenergee, S., Harwood, Alf., Foley, B., Smith, P., Cool, J.C., Wurray, J., Prince, M., Levin, E., Mann, A., & Knapp, M. (2007). Development of a new measure of health-related quality of life for people with dementia: DBMQOL. Psychological Medicine, 37, 737-746.

6. Brown A., Page TE, Daley S, Farina N, Basset T, Livingston, G. Budgett, J. Gallaher, L. Feeney V, Murray, J., Bowling A, Knapp M, Banerjee S. Measuring the quality of life of family carers of people with dementia: development and validation of C-DEMQOL. Quality of Life Research. Vol. 29, 2019, pp. 2299-2310.

This study is being funded by Memory **Lane Games**





